			An//
	Application No.	Applicant(s)	TIP
Notice of Allowability	10/613,379	PATEL ET AL.	T
	Examiner	Art Unit	
	Tuyen Q Tra	2873	
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL-1 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in 85) or other appropriate common RIGHTS. This application is	n this application. If not includ unication will be mailed in due	ed course. THIS
1. This communication is responsive to <u>09/08/2004</u> .		•	
2. The allowed claim(s) is/are <u>1,3-16,18-34 and 36-45</u> .			
3. \boxtimes The drawings filed on <u>03 July 2003</u> are accepted by the	Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 		or (f).	
Certified copies of the priority documents have		on No	
3. Copies of the certified copies of the priority		,	ation from the
International Bureau (PCT Rule 17.2(a)).		•	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the re	quirements
5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which (OTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") r	nust be submitted.		
(a) ☐ including changes required by the Notice of Draftsp	-	w (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date			
(b) including changes required by the attached Examin Paper No./Mail Date	er's Amendment / Comment o	r in the Office action of	
Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such			e back) of
7. DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMENT	PPOSIT OF BIOLOGICAL MAT NT FOR THE DEPOSIT OF BI	ERIAL must be submitted. OLOGICAL MATERIAL.	Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 ☐ Notice of I	nformal Patent Application (PT	O-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-94		Summary (PTO-413),	· · · · · ·
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/S	Paper No	./Mail Dates Amendment/Comment	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Depose	sit 8. 🕅 Examiner's	Statement of Reasons for Alle	owance
of Biological Material	9. Other		
		•	

DETAILED ACTION

Reason For Allowance

- 1 Claims 1, 3-16, 18-34 and 36-45 are allowed.
- Following is an examiner's statement of reasons for allowance:

The prior art taken either singularly or in combination fails to anticipate or fairly suggest the limitations of the independent claim(s), in such a manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims 1, 16, 31 and 34, which include an extension plate defines a first gap between the extension plate and the mirror plate; and the extension plate is connected to the mirror plate via a post.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Huibers et al. (US Patent 6529310 B1) discloses a deflectable spatial light modulator having superimposed hinge and deflectable element in Figure 11 comprising of a deflectable micro-mirror structure (1100) in accordance with yet another embodiment of the present invention, a mirror plate (1120) of micro-mirror structure (1100) is suspended above, and

و

deflectably coupled to, optically transmissive substrate (1110) by means of a mirror support structure (1130); however, Huibers et al. does not teach or suggest wherein an extension plate defines a first gap between the extension plate and the mirror plate; and the extension plate is connected to the mirror plate via a post.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuyen Tra whose telephone number is (571) 272-2343. The examiner can normally be reached on Monday to Thursday from 8:30am to 6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps, can be reached on (571) 272 - 2328. The fax number for this Group is (703) 872-9306.

tt

November 16, 2004

Hung Xuan Dang Primary Examiner